



SAMGONG Gangway Tower

Supply Record Over 100 Projects, since 1984

Type Elevator, Column, Rotary type, etc. with

Integrated crane (when needed)

Engineering, Manufacturing, Installation supervision, Maintenance **Supply Services**

ISO 9001, ISO TS29001, ISO14001, OHSAS 18001 Certificate

Sales contact point harbour@sam-gong.co.kr





Elevator type Gangway Tower with Crane

Features

Useful when

Ship's deck level moves considerably up and down due to tidal differences or loading conditions

Gangway positioning can be adjusted automatically to suit ship's deck level and each tower tier

Supply Scope

Anchor bolt/nut Steel structure Lifter Telescopic ladder Bulwark ladder Electrical equipment Hydraulic equipment

Optional item

Topside Crane – with ground pendant switch control

Control room for neighboring loading arm



Column type Gangway Tower with Crane







Features

Useful when

Height of deck level changes comparatively less than the case of elevator type gangway tower

Possible to install Double Gangways when the standing space is insufficient and to substitute Elevator type installation

Supply Scope

Anchor bolt/nut
Steel column body with turn table
Telescopic ladder
Bulwark ladder
Electrical equipment
Hydraulic equipment

Optional item

Topside Crane – with ground pendant switch control

Control room for neighboring loading arm



Rotary Type Gangway Tower with Crane



Features

Useful when

Jetty side fender space is narrow

Ship's deck level is lower or not too high against jetty level

Both tower body and telescopic ladder can rotate

Supply Scope

Anchor bolt/nut

Steel column body with turn table

Telescopic ladder

Bulwark ladder

Electrical equipment

Hydraulic equipment

Optional item

Topside Crane – with ground pendant switch control

Control room for neighboring loading arm

Crane







Features

Useful for

Loading and unloading of cargoes or provisions Maintenance of equipment at jetty

Type of cranes

Jib Crane Telescopic type Crane Hoist Crane etc.

Possible to be installed

Independent Mounted on gangway tower

Supply Scope


Anchor bolt/nut Steel column body King Pedestal Boom Electrical equipment Hydraulic equipment

Optional item

Control room



Informations required for gangway inquiry







Head Office&Factory

135, Noksansandan 17 ro, Kangso-ku, Busan, Korea 46751

TEL +82 51 200 3040~1 FAX +82 51 200 3161

Web site http://www.sam-gong.co.kr